


# P3500HD

## DIMENSION



## CPCAM HD-TVI PIR COVERT CAMERA W/INVISIBLE IR LEDS

## FEATURES

- 1/ 2.8 " SONY CMOS image sensor
- Full HD 1920 x 1080 output resolution
- Auto Compensation and Long Range transmission
- PIR case with built in invisible IR LEDs
- Day/Night (ICR), AWB, AGC, BLC, IR-CUT
- D-WDR, Motion Detection, Privacy Mask, Mirror
- 24 pcs IR Leds
- 3.7mm megapixel pin hole lens
- True Day & Night with ICR
- DC12V

## SPECIFICATIONS

Model	P3500HD
Image Sensor	1/2.8" Sony IMX322 CMOS image sensor
Total Pixels	2000(H) x 1241(V) = 2.48 Mega pixel
Effective Pixels	1984(H) x 1225(V) = 2.43 Mega pixel
Resolution	TVI: 1080p@30fps/1080p@25fps CVBS: 1280H NTSC / PAL
Min. Illumination	Color : 1.0 Lux / BW : 0.5 Lux IR on: 0.000 Lux
Scanning System	Progressive
Video Output	TVI, CVBS (option)
S/N Ratio	More than 50dB (AGC off)
AGC	Off/Low/Mid/High
Shutter Speed	Auto / Manual ( 1/50(1/60) ~ 1/50,000 )
Backlight	Off/BLC/HLI / D-WDR / XDR
Day & Night	Auto/Color/B&W/EXT
White Balance	ATW
DNR	Off/Low/Middle/High
Mirror	Off / H / V / H&V / ROTATE
Privacy Mask	4 Masks
Motion Detection	Off/On, 4 AREA
Language	English/ Chinese/ German/ French/ Italian/ Spanish/Polish/ Russian/ Portuguese/ Japanese/ Turkish
Power Source	DC12V $\pm$ 10%
Power Consumption	Max 3.0 Watt at IR on Max 1.0 Watt at IR off
Operating Temperature	-10 °C to 50 °C
Operating Humidity	10% to 85%
Lens	3.7mm megapixel pinhole lens
Dimension/mm	62(W) x 48(D) x 90(H)
Weight/g	Approx. 105